### Homework #04 Web Hosting Announce: 2008/11/25 Due: 2008/12/02 23:59:59

### FAMP(FreeBSD+Apache+MySQL+PHP)

### • Apache 2.2

- > /usr/ports/www/apache22
- > apache22\_enable="YES" (/etc/rc.conf)
- > /usr/local/etc/rc.d/apache22start

### • MySQL 5.0

- > /usr/ports/databases/mysql50-server
- > mysql\_enable="YES" (/etc/rc.conf)
- > /usr/local/etc/rc.d/mysql-server start

### ● PHP 5

> /usr/ports/lang/php5

# Virtual Hosts(1/2)

- Providing services for more than one domain-name (or IP) in one web server.
- IP-Based Virtual Hosts vs. Name-Based Virtual Hosts
  - IP-Based —SeveralIPs(or ports)
  - > Name-Based –Singe IP, several hostnames
- Apache Name-Based configuration example
  - > /usr/local/etc/apache22/extra/httpd-vhosts.conf
  - > Notice virtual host's DocumentRoot permission

# Virtual Hosts(2/2)

- How Name-Based Virtual Hosts works?
  - > It takes advantage of HTTP Headers.
- To do this homework , you need 2 domain name
  - > http://twbbs.org/
  - > http://www.dhs.org/
  - > http://www.no-ip.com / (If you don't have static IP)

### .htaccess

	E P
SA-test1 使用者名稱(U):	
武州급급과(U). 密碼(P):	
	□記憶我的密碼(R)
	確定 取消

#### You can use these tools

- > http://www.linuxkungfu.org/tools/htaccesser/index.php
- > http://www.htaccesseditor.com/

### Userdir

#### • Let users have their own web space

# User home directories
#Include etc/apache22/extra/httpd-userdir.conf

UserDir public\_html

UserDir disabled root toor daemon operator bin tty kmem games news man sshd bind proxy \_pflogd \_dhcp uucp pop www nobody mailnull smmsp #

# Control access to UserDir directories. The following is an example # for a site where these directories are restricted to read-only. #

<Directory /home/\*/public\_html>

AllowOverride FileInfo AuthConfig Limit Indexes

**Options MultiViews Indexes SymLinksIfOwnerMatch IncludesNoExec** <Limit GET POST OPTIONS>

Order allow, deny

Allow from all

</Limit>

<LimitExcept GET POST OPTIONS>

Order deny, allow

Deny from all

</LimitExcept>

</Directory>

# Blog

• You can use

- > Wordpress
- > Movable Type

Others you like or Write a system yourself
 Don't use BSP(blog service provider)

# MySQL

#### What is SQL(Structured Query Language)

- > The most popular computer language which is used to create, modify, retrieve and manipulate data from relational database management systems.
- > SQL Introduction: http://dev.mysql.com/doc/
- A multithreaded, multi-user, SQL Database Management System.

# phpMyAdmin(1/2)

- phpMyAdmin can manage a whole MySQL server as well as a single database over the World Wide Web.
- Official Site: http://www.phpmyadmin.net/
- Documentation: http://www.phpmyadmin.net/documentation/
- Characteristics
  - > Browser-based, Supporting PHP5.2+, MySQL 5.0+, Open Source
- There are four authentication modes offered: http, cookie, signon and config(the less secure one, not recommanded).

# phpMyAdmin(2/2)

#### • Create another user with limited privilege

🗿 tphp.cs.nctu.edu.tv	v / localhost   phpMyAdmin 2.9.0.	.3 - Microsoft Internet E	'×
檔案(E) 編輯(E) 檢視(⊻)	我的最愛(A) 工具(I) 說明(H)		<b>R</b>
3上一頁 ▼ 3 ▼ 🛽 🖉 🐔	🔑 搜尋 ☆ 我的最愛 🥹 🗟 🖵 🚉	•	
網址(D) 🗐 http://tphp.cs.n	ctu.edu.tw/phpMyAdmin/	▼ 🗗 移至   連結 🎽 🧲	•
	localhost	phpMyAdmin - 2.9.0.3	•
phpMyAdmin	歸伺服器版本: 5.0.27 ▶ 通訊協定版本: 10	▶ MySQL 客戶端版本: 5.0.27 ▶ 已使用 PHP 擴充附件: mysql	
	歸伺服器: Localhost via UNIX socket ▶ 使用者: chonsi@localhost	ピLanguage ❶:	
資料庫 (資料庫)…	恝MySQL 文字編碼: UT <b>F-8 Unicode (utf8)</b> 恝MySQL 連線校對:	<ul> <li>参款式: Original</li> <li>▶ Font size: 100% ▼</li> </ul>	
請選擇資料庫	utf8_unicode_ci	■phpMyAdmin 說明文件 ✿phpMyAdmin 官方網站	
	校對	<ul> <li>[ChangeLog] [CVS] [Lists]</li> </ul>	
	♥顯示 MySQL 執行狀態 III 顯示 MySQL 系統變數 ⑦ 醫處理 ⑦		
	刨文字編碼及校對		
	<ul> <li>●儲存引擎</li> <li>●重新請取權限 <sup>®</sup></li> </ul>		
	◎權限 學資料庫 ● 登出		
 ∕€]	<b>@輸出</b>		

## Bonus1 (3%)

One of your domain name can use userdir, but another cannot.

- > For example
  - web. example.org's IP is 123.123.123.123
  - blog. example.org's IP is 123.123.123.123
  - http://web.example.com/~ych/is valid, but http://blog.example.com/~ych/is invalid.

## Bonus2 (5%)

- suphp
  - A tool for executing PHP scripts with the permissions of their owners. By using this, user does not need set permission to others.
  - > Official Site: http://www.suphp.org/

Install suphp and config it

 Don't permit a php file execution if user except file owner has its write permission.

# Bonus3 (7%)

#### • mod\_rewrite

- > If users access http://yourdomain1/yyyy/mm/dd/, open a page shows "You are reading 'yyyymmdd"".
- > If user doesn't access your site's pictures(\*.gif, \*.bmp, \*.jpg) from your site, redirect to <a href="http://yourdomain1/warning.htm">http://yourdomain1/warning.htm</a> to alert user.
  - Hint: HTTP\_REFERER

### Other Bonus?

 If you add extra features, please let TAs know. TAs will give bonus score according to degree of difficulty.

 This homework's score upper bound is 120.

## Summary of requestions

- You need two host names use same IP address.
- When access http://yourdomain1/private/, user need enter id "nctucs" and password "sahw4" which is implemented by .htaccess.
- System user *sysadm* can put file at ~/WWW/ and others can access it by visiting http://yourdomain1/~sysadm/. *sysadm*'s password is your student id.
- Your blog domain name is <a href="http://yourdomain2/">http://yourdomain2/</a>
- Users use cookie authentication when access your phpMyAdmin site http://yourdomain1/phpMyAdmin/ (You need to add a MySQL user for authentication). And notice that if others access http://yourdomain2/phpMyAdmin/, they can not access it.

### Demo Time

- Please make your service available from 12/03 00:00 to 12/04 23:59.
- If your service is not available when TAs demo, you will not get any score for this homework.
- If you have special reasons for service failed, please let TAs know before due.