

# Performance Analysis

---

pmli

# Help! My system is slow!

---

- [http://people.freebsd.org/~kris/scaling/Help\\_my\\_system\\_is\\_slow.pdf](http://people.freebsd.org/~kris/scaling/Help_my_system_is_slow.pdf)

# What you can do to improve performance

---

- Memory size has a major influence on performance
- Correct the problems of usage
- Load balance appliance
- Organize the system's hard disks and filesystems
- Monitoring your networks
- ...

# Factors that affect Performance

---

## □ Four major resources

- CPU Time
- Memory
- Hard disk I/O bandwidth
- Network I/O bandwidth

## □ Where is the real bottleneck

- Not CPU, hard disk bandwidth it is !!
- When memory is not enough, system will do swap, so memory and disk bandwidth are the major suspects

## System Performance Checkup – Analyzing CPU usage (1)

---

- Three information of CPU
  - Overall utilization
    - Help to identify whether the CPU resource is the system bottleneck
  - Load average
  - Per-process consumption
    - Identify specific process's CPU utilization

# System Performance Checkup – Analyzing CPU usage (2)

## □ vmstat command

- Report kernel statistics about process, memory, cpu, ..
- Usage: % vmstat -c 2 -w 1
  - us: user time
    - High us means high computation
  - sy: system time
    - High sy means process are making lots of system call or performing I/O
  - id: cpu idle
- us and sy time should half-half
- Monitoring interval should not be too small

```
tytsai@u3:/var/log> vmstat -c 2 -w 5
procs      memory          page          disks      faults      cpu
r b w    avm   fre    flt re pi po fr sr da0 da1  in   sy   cs  us  sy  id
3 2 0  50364 1587316  3 0 0 0 3 0 0 0 931 786 181 0 0 100
0 2 0  50368 1587312  5 0 0 0 0 0 0 0 250 91 23 0 0 99
```

# System Performance Checkup –

## Analyzing CPU usage (3)

- faults (average per second over last 5 seconds)
  - in: device interrupt per interval
  - sy: system calls per interval
  - cs: cpu context switch rate

### Nothing to do Server

```
tytsai@u3:/var/log> vmstat -c 2 -w 5
procs      memory      page          disks      faults      cpu
r b w    avm   fre   flt   re   pi   po   fr   sr da0 da1   in   sy   cs   us   sy   id
3 2 0    50364 1587316   3   0   0   0   3   0   0   0   0   931  786 181   0   0 100
0 2 0    50368 1587312   5   0   0   0   0   0   0   0   0   250   91   23   0   0 99
```

### High load, busy http server

```
tytsai@ccbsd3: ~> vmstat -c 5 -w 5
procs      memory      page          disk      faults      cpu
r b w    avm   fre   flt   re   pi   po   fr   sr ad0   in   sy   cs   us   sy   id
0 0 0    231320  68792   320   4   0   0   264   7   0   2273 3381  952  16   4   80
0 0 0    232984  67100   558   0   0   0   386   0   1   1958 3285  551  11   5   84
1 0 0    228252  69272   192   2   0   0   292   0   5   2787 2626  681  23   4   73
1 0 0    221564  72048   102   0   0   0   229   0   0   1395 556   184   1   2   97
0 0 0    209624  76684    96   0   0   0   306   0   0   1350 935   279   0   2   97
```

# System Performance Checkup – Analyzing CPU usage (4)

## ❑ Load average

- The average number of runnable processes
  - Including processes waiting for disk or network I/O

## ❑ uptime command

- Show how long system has been running and the load average of the system over the last 1, 5, and 15 minutes
- Usage: % uptime

```
{tytsai@mgate2}~> uptime  
8:22AM up 6 days, 22:13, 2 users, load averages: 0.06, 0.02, 0.00
```

## System Performance Checkup – Analyzing CPU usage (5)

---

### ❑ top command

- Display and update information about the top cpu processes

### ❑ ps command

- Show process status

### ❑ renice command

- renice -n increment -p pid
- renice +1 987 -u daemon root -p 32

## System Performance Checkup – Analyzing memory usage (1)

---

- When memory is not enough ...
  - Memory page has to be “swapped out” to the disk block
  - LRU (Least Recently Used) algorithm
  - Bad situation – “desperation swapping”
    - Kernel forcibly swaps out runnable process
    - Extreme memory shortage
  
- Two numbers that quantify memory activity
  - Total amount of active virtual memory
    - Tell you the total demand for memory
  - Page rate
    - suggest the proportion of actively used memory

# System Performance Checkup – Analyzing memory usage (2)

## □ To see amount of swap space in use

- pstat -s or swapinfo -k (FreeBSD)
- swapon -s (Linux)
- swap -l (Solaris)

## □ pstat command

- % pstat -s

Device	1K-blocks	Used	Avail	Capacity
/dev/label/swap-0	1048572	0	1048572	0%
/dev/label/swap-1	1048572	0	1048572	0%
Total	2097144	0	2097144	0%

# System Performance Checkup – Analyzing memory usage (3)

## ❑ vmstat command

- procs
  - r: in run queue
  - b: blocked for resource
  - w: runnable or short sleeper but swapped
- memory
  - avm: active virtual pages
  - fre: size of the free list
- page (averaged each five seconds, given in units per second)
  - flt: total number of page faults
  - pi: pages paged in
  - po: pages paged out
    - 50 page-out cause about 1 seconds latency
  - fr: pages freed per second

```
csws1[~] -chiahung- vmstat -c 3 -w 5
procs      memory                      page                  disks
r b w      avm    fre     flt   re  pi  po   fr      sr da0 da1
0 3 0      1427M 1196M  224   0   0   0   312      0   0   0
0 3 0      1427M 1196M   3   0   0   0   169      0  12  12
0 3 0      1427M 1196M   3   0   0   0   110      0  15  15
```

# System Performance Checkup – Analyzing disk I/O

## □ iostat command

- Report I/O statistics
- Usage: iostat -w 1 -c 5
  - tin/tout: characters read from /write to terminal
  - KB/t: kilobytes per transfer
  - tps: transfers per second
  - MB/s: megabytes per second

```
FreeBSD:~ -lwhsu- iostat da0 -w 1
```

tty		da0		cpu					
tin	tout	KB/t	tps	MB/s	us	ni	sy	in	id
0	258	59.78	253	14.77	3	0	4	0	94
0	127	63.13	501	30.89	3	0	4	0	93
0	43	62.58	346	21.14	5	0	5	0	90
0	42	62.40	289	17.63	3	0	5	0	92
0	43	61.19	720	43.02	1	0	2	0	97

# System Performance Checkup – Analyzing network

- The four most common uses of netstat
  - Monitoring the status of network connections
    - netstat -a
  - Inspecting interface configuration information
    - netstat -i

```
derek[~] -chiahung- netstat -I
Name      Mtu Network          Address            Ipkts    Ierrs     Opkts    Oerrs   Coll
bge0     1500 140.113.240.0  derek              2256736153  -       3709378394  -       -
bge0     1500 192.168.7.0   192.168.7.1        1744582   -       49144622   -       -
lo0      16384 your-net      localhost          433424   -       433424   -       -
```

- Examining the routing table
  - netstat -r -n
- Viewing operational statistics for network protocols

# systat

## □ display system statistics

		/0	/1	/2	/3	/4	/5	/6	/7	/8	/9	/10
Load Average												
Interface	Traffic	Peak		Total								
lo0 in	0.000 KB/s	0.000 KB/s		319.574	MB							
out	0.000 KB/s	0.000 KB/s		319.574	MB							
em0 in	231.623 KB/s	281.986 KB/s		42.270	GB							
out	689.802 KB/s	923.680 KB/s		215.311	GB							

systat -ifstat

systat -vmstat

22 users Load 0.87 0.51 0.42										Dec 28 21:41				
Mem:KB		REAL			VIRTUAL						VN	PAGER	SWAP	PAGER
Act	All	Tot	Share	Tot	Share	Free		count		in	out	in	out	
888500	1985880	15268	138664	3578016	340176	581224						3	3	
				1077786k										
Proc:										Interrupts				
r	p	d	s	w	Csw	Trp	Sys	Int	Sof	Flt	631	cow	17709	total
1			468		19k	1878	14k	1709	1069	1353	317	zfod		atkbd0 1
5.9%Sys	0.3%Intr	2.5%User	0.0%Nice	91.3%Idle							ozfod	51	atapci0 19	
											%ozfod	778	ahc0 irq24	
											daefr		ahc1 irq25	
====>										764	prcfcr	2000	cpu0: time	
										29	dtbuf	18391	totfr	
										876	em0	irq256		
Namei		Name-cache		Dir-cache		450000	desvn				react	4	em1	irq257
Calls		hits	%	hits	%	395311	numvn				pdwak	2000	cpu1: time	
154838		144273	93			25000	frevn				pdpgs	2000	cpu2: time	
											intrn	2000	cpu3: time	
Disks	ad4	ad6	ad8	ad10	da0	pass0					3917836	wire	2000	cpu5: time
KB/t	104	0.00	107	0.00	61.70	0.00					4763576	act	2000	cpu7: time
tps	22	0	31	0	775	0					2908320	inact	2000	cpu4: time
MB/s	2.24	0.00	3.24	0.00	46.71	0.00					109544	cache	2000	cpu6: time
%busy	2	0	3	0	82	0					471700	free		
											327552	buf		

# \*stat commands

```
lucky7:/bin -lwhsu- ls -al {,/usr}{/bin,/sbin}/*stat
-r-xr-xr-x 1 root wheel - 49976 Jan  2 18:52 /sbin/ipfstat*
-r-xr-xr-x 1 root wheel -  7264 Jan  2 18:52 /sbin/kldstat*
-r-xr-sr-x 1 root kmem - 11872 Jan  2 18:53 /usr/bin/btsockstat*
-r-xr-sr-x 1 root kmem - 20432 Jan  2 18:53 /usr/bin/fstat*
-r-xr-sr-x 1 root kmem - 144208 Jan  2 18:53 /usr/bin/netstat*
-r-xr-xr-x 1 root wheel - 12352 Jan  2 18:53 /usr/bin/nfsstat*
-r-xr-xr-x 1 root wheel - 16912 Jan  2 18:53 /usr/bin/procstat*
-r-xr-xr-x 1 root wheel - 15696 Jan  2 18:53 /usr/bin/sockstat*
-r-xr-xr-x 2 root wheel - 15560 Jan  2 18:53 /usr/bin/stat*
-r-xr-xr-x 1 root wheel - 82424 Jan  2 18:53 /usr/bin/systat*
-r-xr-xr-x 1 root wheel - 25552 Jan  2 18:53 /usr/bin/vmstat*
-r-xr-xr-x 1 root wheel - 15760 Jan  2 18:53 /usr/sbin/gstat*
lrwxr-xr-x 1 root wheel -       21 Jan  2 18:53 /usr/sbin/hoststat@ ->
                                         /usr/sbin/mailwrapper
-r-xr-x-- 1 root wheel - 11504 Jan  2 18:53 /usr/sbin/ifmcstat*
-r-xr-xr-x 1 root wheel - 19808 Jan  2 18:53 /usr/sbin/iostat*
-r-xr-xr-x 1 root wheel - 39376 Jan  2 18:53 /usr/sbin/pmcstat*
-r-xr-xr-x 2 root wheel - 13040 Jan  2 18:53 /usr/sbin/pstat*
lrwxr-xr-x 1 root wheel -       21 Jan  2 18:53 /usr/sbin/purgestat@ ->
                                         /usr/sbin/mailwrapper
-r-xr-xr-x 1 root wheel - 10048 Jan  2 18:53 /usr/sbin/slstat*
```

# top

---

## top -m cpu (default)

```
last pid: 61540;  load averages: 0.30, 0.31, 0.32                               up 17+09:57:18 13:57:14
242 processes: 1 running, 241 sleeping
CPU states:      % user,      % nice,      % system,      % interrupt,      % idle
Mem: 2195M Active, 7466M Inact, 1574M Wired, 21M Cache, 214M Buf, 619M Free
Swap: 2048M Total, 140K Used, 2048M Free

 PID USERNAME    THR PRI NICE   SIZE   RES STATE   C   TIME   WCPU COMMAND
26091 squid      17  44     0 414M 384M ucond  1 35:51  0.00% squid
11945 bind       11  44     0 71696K 59544K select  1 32:06  0.00% named
11375 root        1  58     0 20960K 3144K select  1  9:35  0.00% sshd
68517 nobody      1  44     0 24472K 14716K select  3   8:00  0.00% rsync
```

## top -m io

```
last pid: 9347;  load averages: 0.21, 0.29, 0.32                               up 17+09:58:20 13:58:16
243 processes: 1 running, 242 sleeping
CPU states: 0.5% user, 0.0% nice, 1.2% system, 0.0% interrupt, 98.3% idle
Mem: 2200M Active, 7484M Inact, 1604M Wired, 25M Cache, 214M Buf, 562M Free
Swap: 2048M Total, 140K Used, 2048M Free

 PID USERNAME    VCSW   IVCSW   READ   WRITE   FAULT   TOTAL PERCENT COMMAND
18107 cvsup      0       0       0       0       0       0   0.00% cvsupd
26091 squid      34      0       0       0       0       0   0.00% squid
11945 bind       9       3       0       0       0       0   0.00% named
11375 root       4       0       0       0       0       0   0.00% sshd
```

# gstat

---

L(q)	ops/s	r/s	kBps	ms/r	w/s	kBps	ms/w	%busy	Name
0	0	0	0	0.0	0	0	0.0	0.0	acd0
5	218	218	15756	9.3	0	0	0.0	94.0	da0
0	111	2	214	5.0	107	933	4.3	23.4	ad4
0	113	0	0	0.0	111	933	4.3	24.1	ad5
0	111	2	214	5.0	107	933	4.3	23.5	ad4s1
0	113	0	0	0.0	111	933	4.3	24.1	ad5s1
0	0	0	0	0.0	0	0	0.0	0.0	ad6
0	5	0	0	0.0	5	40	0.6	0.3	ad4s1a
0	0	0	0	0.0	0	0	0.0	0.0	ad4s1b
0	0	0	0	0.0	0	0	0.0	0.0	ad4s1c
0	106	2	214	5.0	102	893	4.7	23.4	ad4s1d
0	0	0	0	0.0	0	0	0.0	0.0	ad7
0	5	0	0	0.0	5	40	0.3	0.1	ad5s1a
0	0	0	0	0.0	0	0	0.0	0.0	ad5s1b
0	0	0	0	0.0	0	0	0.0	0.0	ad5s1c
0	108	0	0	0.0	106	893	4.7	24.1	ad5s1d
0	4	0	0	0.0	4	40	0.8	0.3	mirror/gm0s1a