

ZFS - The Last Word in Filesystem

lwhsu (2019, CC-BY)

tzute (2018)

? (?-2018)

Philip Paeps <Philip@FreeBSD.org> (CC-BY)

Benedict Reuschling <bcr@FreeBSD.org> (CC-BY)

RAID


- ❑ Redundant Array of Independent Disks
- ❑ A group of drives glue into one




Common RAID types

- JBOD
- RAID 0
- RAID 1
- RAID 5
- RAID 6
- RAID 10
- RAID 50
- RAID 60

JBOD (Just a Bunch Of Disks)



RAID 0 (Stripe)




RAID 0 (Stripe)

- Striping data onto multiple devices
- Increase write/read speed

- Data corrupt if ANY of the device fails


RAID 1 (Mirror)



RAID 1 (Mirror)

- ❑ Devices contain identical data
- ❑ 100% redundancy
- ❑ Faster read (but might be slower write)


RAID 5



RAID 5

- ❑ Slower than RAID 0 / RAID 1
- ❑ Higher CPU usage

RAID 6




RAID 6

- ❑ Slower than RAID 5
- ❑ Use two different correcting algorithms
- ❑ Usually implemented via hardware


RAID 10

❑ RAID 1+0




RAID 50?

RAID 50 (Parity+Stripe)



RAID 60?

RAID 60 (Double Parity+Stripe)



Issues of RAID

- ❑ <https://en.wikipedia.org/wiki/RAID#Weaknesses>
 - Correlated failures
 - Use different batches of drivers!
 - Unrecoverable read errors during rebuild
 - Increasing rebuild time and failure probability
 - Atomicity: including parity inconsistency due to system crashes
 - Write-cache reliability
- ❑ Know the limitations and make decision for your scenario

Software Implementations

- ❑ Linux – mdadm
- ❑ FreeBSD – GEOM classes



Here comes ZFS

Why ZFS?

- ❑ Filesystem is always consistent
 - Never overwrite an existing block (transactional Copy-on-Write)
 - State atomically advance at checkpoints
 - Metadata redundancy and data checksums
- ❑ Snapshots (ro) and clones (rw) are cheap and plentiful
- ❑ Flexible configuration
 - Stripe, mirror, single/double/triple parity RAIDZ
- ❑ Fast remote replication and backups
- ❑ Scalable (the first 128 bit filesystem)
- ❑ SSD and memory friendly
- ❑ Easy administration (2 commands: zpool & zfs)

End-to-end data integrity


- Disks
- Controllers
- Cables
- Firmware
- Device drivers
- Non-ECC memory



Disk block checksums

- ❑ Checksums are stored with the data blocks
- ❑ Any self-consistent block will have a correct checksum
- ❑ Can't even detect stray writes
- ❑ Inherently limited to single filesystems or volumes

**Disk block checksums only
validate media**




- ✓ Bit rot
- ✗ Phantom writes
- ✗ Misdirected reads and writes
- ✗ DMA parity errors
- ✗ Driver bugs
- ✗ Accidental overwrite

ZFS data authentication

- ❑ Checksums are stored in parent block pointers
- ❑ Fault isolation between data and checksum
- ❑ Entire storage pool is a self-validating Merkle tree


ZFS data authentication validates entire I/O path



- ✓ Bit rot
- ✓ Phantom writes
- ✓ Misdirected reads and writes
- ✓ DMA parity errors
- ✓ Driver bugs
- ✓ Accidental overwrite


Traditional storage architecture

- ❑ Single partition or volume per filesystem
- ❑ Each filesystem has limited I/O bandwidth
- ❑ Filesystems must be manually resized
- ❑ Storage is fragmented




ZFS pooled storage

- ❑ No partitions required
- ❑ Storage pool grows automatically
- ❑ All I/O bandwidth is always available
- ❑ All storage in the pool is shared




Copy-on-write transactions


1. Initial consistent state




2. COW some blocks



3. COW indirect blocks



4. Rewrite uberblock (atomic)



Simple administration

Only two commands:

1. Storage pools: zpool

- Add and replace disks
- Resize pools

2. Filesystems: zfs

- Quotas, reservations, etc.
- Compression and deduplication
- Snapshots and clones
- atime, readonly, etc.





Storage Pools

ZFS Pools

- ❑ ZFS is not just a filesystem
- ❑ ZFS = filesystem + volume manager

- ❑ Works out of the box
- ❑ “Z”uper “z”imple to create
- ❑ Controlled with single command
 - zpool

ZFS Pools Components

- ❑ Pool is create from “Virtual Devices” (vdevs)
- ❑ **disk**: A real disk (typically under /dev)
- ❑ **file**: A file
- ❑ **mirror**: Two or more disks mirrored together
- ❑ **raidz1/2/3**: Three or more disks in RAID5/6*
- ❑ **spare**: A spare drive
- ❑ **log**: A write log device (ZIL SLOG; typically SSD)
- ❑ **cache**: A read cache device (L2ARC; typically SSD)

RAID in ZFS

- ❑ **Dynamic Stripe:** Intelligent RAID 0
 - zfs copies=1 | 2 | 3
- ❑ **Mirror:** RAID 1
- ❑ **Raidz1:** Improved from RAID5 (parity)
- ❑ **Raidz2:** Improved from RAID6 (double parity)
- ❑ **Raidz3:** triple parity

Storage pools

Creating storage pools (1/2)

To create a storage pool named “tank” from a single disk:

```
# zpool create tank /dev/md0
```

ZFS can use disks directly. There is no need to create partitions or volumes.

After creating a storage pool, ZFS will automatically:

- Create a filesystem with the same name (e.g. tank)
- Mount the filesystem under that name (e.g. /tank)

The storage is immediately available

Storage pools

Creating storage pools (2/2)

All configuration is stored with the storage pool and persists across reboots.

No need to edit /etc/fstab.

```
# mount | grep tank
# ls -al /tank
ls: /tank: No such file or directory
# zpool create tank /dev/md0
# mount | grep tank
tank on /tank (zfs, local, nfsv4acls)
# ls -al /tank
total 9
drwxr-xr-x  2 root  wheel  2 Oct 12 12:17 .
drwxr-xr-x 23 root  wheel 28 Oct 12 12:17 ..
# reboot
[...]

# mount | grep tank
tank on /tank (zfs, local, nfsv4acls)
```


Storage pools

Displaying pool status

```
# zpool list
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     1016G   83K  1016G        -         -       0%    0%   1.00x  ONLINE   -

# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

          NAME      STATE      READ  WRITE  CKSUM
          tank      ONLINE      0     0     0
           md0      ONLINE      0     0     0

errors: No known data errors
```

Storage pools

Displaying I/O statistics

ZFS contains a built-in tool to display I/O statistics.

Given an interval in seconds, statistics will be displayed continuously until the user interrupts with Ctrl+C.

Use -v (verbose) to display more detailed statistics.

```
# zpool iostat 5
```

pool	capacity		operations		bandwidth	
	alloc	free	read	write	read	write
tank	83K	1016G	0	0	234	841
tank	83K	1016G	0	0	0	0

```
# zpool iostat -v
```

pool	capacity		operations		bandwidth	
	alloc	free	read	write	read	write
tank	83K	1016G	0	0	206	739
md0	83K	1016G	0	0	206	739

Storage pools

Destroying storage pools

Destroying storage pools is a constant time operation. If you want to get rid of your data, ZFS will help you do it very quickly!

All data on a destroyed pool will be **irretrievably lost**.

```
# time zpool create tank /dev/md0
0.06 real 0.00 user 0.02 sys
# time zpool destroy tank
0.09 real 0.00 user 0.00 sys
```

Storage pools

Creating stripes

A pool with just one disk does not provide any redundancy, capacity or even adequate performance.

Stripes offer higher capacity and better performance (reading will be parallelised) but they provide **no redundancy**.

```
# zpool create tank /dev/md0 /dev/md1
# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

          NAME          STATE          READ WRITE CKSUM
          tank          ONLINE         0     0     0
            md0         ONLINE         0     0     0
            md1         ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME    SIZE  ALLOC   FREE  CAP  DEDUP  HEALTH
tank   1.98T   86K   1.98T   0%   1.00x  ONLINE
```

Storage pools

Creating mirrors (RAID-1)

Mirrored storage pools provide **redundancy** against disk failures and better read performance than single-disk pools.

However, mirrors only have **50% of the capacity** of the underlying disks.

```
# zpool create tank mirror /dev/md0 /dev/md1
# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

        NAME          STATE      READ  WRITE CKSUM
        tank           ONLINE    0     0     0
            mirror-0   ONLINE    0     0     0
                md0    ONLINE    0     0     0
                md1    ONLINE    0     0     0

errors: No known data errors
# zpool list
NAME    SIZE  ALLOC   FREE  CAP  DEDUP  HEALTH
tank   1016G    93K   1016G   0%   1.00x  ONLINE
```

Storage pools

Creating raidz groups

raidz is a variation on RAID-5 with single-, double-, or triple parity.

A raidz group with N disks of size X with P parity disks can hold approximately $(N - P) * X$ bytes and can withstand P device(s) failing before data integrity is compromised.

```
# zpool create tank \  
> raidz1 /dev/md0 /dev/md1 /dev/md2 /dev/md3  
# zpool status  
pool: tank  
state: ONLINE  
scan: none requested  
config:  
  
NAME          STATE      READ WRITE CKSUM  
tank          ONLINE    0     0     0  
  raidz1-0    ONLINE    0     0     0  
    md0       ONLINE    0     0     0  
    md1       ONLINE    0     0     0  
    md2       ONLINE    0     0     0  
    md3       ONLINE    0     0     0  
  
errors: No known data errors
```

Storage pools

Combining vdev types

Single disks, stripes, mirrors and raidz groups can be combined in a single storage pool

ZFS will complain when adding devices would make the pool less redundant

`zpool add log/cache/spare`

```
# zpool create tank mirror /dev/md0 /dev/md1
# zpool add tank /dev/md2
invalid vdev specification
use '-f' to override the following errors:
mismatched replication level:
pool uses mirror and new vdev is disk

# zpool create tank \
> raidz2 /dev/md0 /dev/md1 /dev/md2 /dev/md3
# zpool add tank \
> raidz /dev/md4 /dev/md5 /dev/md6
invalid vdev specification
use '-f' to override the following errors:
mismatched replication level:
pool uses 2 device parity and new vdev uses 1
```

Storage pools

Increasing storage pool capacity

More devices can be added to a storage pool to increase capacity without downtime.

Data will be striped across the disks, increasing performance, but there will be **no redundancy**.

If *any* disk fails, **all data is lost!**

```
# zpool create tank /dev/md0
# zpool add tank /dev/md1
# zpool list
NAME      SIZE  ALLOC   FREE  CAP  DEDUP  HEALTH
tank     1.98T  233K   1.98T   0%   1.00x  ONLINE
# zpool status
  pool: tank
  state: ONLINE
  scan: none requested
config:

          NAME      STATE      READ  WRITE  CKSUM
          tank      ONLINE      0     0     0
            md0      ONLINE      0     0     0
            md1      ONLINE      0     0     0

errors: No known data errors
```


Storage pools

Creating a mirror from a single-disk pool (1/4)

A storage pool consisting of only one device can be converted to a mirror.

In order for the new device to mirror the data of the already existing device, the pool needs to be “resilvered”.

This means that the pool synchronises both devices to contain the same data at the end of the resilver operation.

During resilvering, access to the pool will be slower, but there will be no downtime.

Storage pools

Creating a mirror from a single-disk pool (2/4)

```
# zpool create tank /dev/md0
# zpool status
pool: tank
state: ONLINE
scan: none requested
config:

    NAME          STATE          READ WRITE CKSUM
    tank          ONLINE         0     0     0
    md0           ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME    SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank   1016G   93K  1016G      -          -         0%    0%   1.00x  ONLINE  -
```

Storage pools

Creating a mirror from a single-disk pool (3/4)

❑ `zpool attach`

```
# zpool attach tank /dev/md0 /dev/md1
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices is currently being resilvered. The pool
will continue to function, possibly in a degraded state.
action: Wait for the resilver to complete.
scan: resilver in progress since Fri Oct 12 13:55:56 2018
5.03M scanned out of 44.1M at 396K/s, 0h1m to go
5.03M resilvered, 11.39% done
config:

    NAME          STATE          READ WRITE CKSUM
    tank          ONLINE         0     0     0
      mirror-0    ONLINE         0     0     0
        md0      ONLINE         0     0     0
        md1      ONLINE         0     0     0 (resilvering)

errors: No known data errors
```

Storage pools

Creating a mirror from a single-disk pool (4/4)

```
# zpool status
pool: tank
state: ONLINE
  scan: resilvered 44.2M in 0h1m with 0 errors on Fri Oct 12 13:56:29 2018
config:

    NAME            STATE          READ  WRITE CKSUM
    tank            ONLINE         0     0     0
      mirror-0     ONLINE         0     0     0
        md0        ONLINE         0     0     0
        md1        ONLINE         0     0     0

errors: No known data errors

# zpool list
NAME    SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank   1016G  99.5K  1016G      -          -         0%    0%   1.00x  ONLINE  -
```

Zpool command

zpool(8)

zpool list

list all the zpool

zpool status [pool name]

show status of zpool

zpool export/import [pool name]

export or import given pool

zpool set/get <properties/all>

set or show zpool properties

zpool online/offline <pool name> <vdev>

set an device in zpool to online/offline state

zpool attach/detach <pool name> <device> <new device>

attach a new device to an zpool/detach a device from zpool

zpool replace <pool name> <old device> <new device>

replace old device with new device

zpool scrub

try to discover silent error or hardware failure

zpool history [pool name]

show all the history of zpool

zpool add <pool name> <vdev>

add additional capacity into pool

zpool create/destroy

create/destory zpool

Zpool properties

```
`zpool get all zroot`
```

NAME	PROPERTY	VALUE	SOURCE
zroot	size	460G	-
zroot	capacity	4%	-
zroot	altroot	-	default
zroot	health	ONLINE	-
zroot	guid	13063928643765267585	default
zroot	version	-	default
zroot	bootfs	zroot/ROOT/default	local
zroot	delegation	on	default
zroot	autoreplace	off	default
zroot	cachefile	-	default
zroot	failmode	wait	default
zroot	listsnapshots	off	default
zroot	feature@async_destroy	enabled	local
zroot	feature@device_removal	enabled	local

Zpool Sizing

- ❑ ZFS reserve 1/64 of pool capacity for safe-guard to protect CoW
- ❑ RAIDZ1 Space = Total Drive Capacity -1 Drive
- ❑ RAIDZ2 Space = Total Drive Capacity -2 Drives
- ❑ RAIDZ3 Space = Total Drive Capacity -3 Drives
- ❑ Dynamic Stripe of 4* 100GB= 400 / 1.016= ~390GB
- ❑ RAIDZ1 of 4* 100GB = 300GB - 1/64th= ~295GB
- ❑ RAIDZ2 of 4* 100GB = 200GB - 1/64th= ~195GB
- ❑ RAIDZ2 of 10* 100GB = 800GB - 1/64th= ~780GB



ZFS Dataset

ZFS Datasets

- ❑ Three forms:
 - filesystem: just like traditional filesystem
 - volume: block device
 - snapshot: read-only version of a file system or volume at a given point of time.
- ❑ Nested
- ❑ Each dataset has associated properties that can be inherited by sub-file systems
- ❑ Controlled with single command:
 - `zfs(8)`

Filesystem Datasets

❑ Create new dataset with

- `zfs create <pool name>/<dataset name>(<dataset name>/...)`

❑ New dataset inherits properties of parent dataset

Volume Datasets (ZVols)

- ❑ Block storage
- ❑ Located at `/dev/zvol/<pool name>/<dataset>`
- ❑ Useful for
 - iSCSI
 - Other non-zfs local filesystem
 - Virtual Machine image
- ❑ Support “thin provisioning” (“sparse volume”)

Dataset properties

```
$ zfs get all zroot
```

NAME	PROPERTY	VALUE	SOURCE
zroot	type	filesystem	-
zroot	creation	Mon Jul 21 23:13 2014	-
zroot	used	22.6G	-
zroot	available	423G	-
zroot	referenced	144K	-
zroot	compressratio	1.07x	-
zroot	mounted	no	-
zroot	quota	none	default
zroot	reservation	none	default
zroot	recordsize	128K	default
zroot	mountpoint	none	local
zroot	sharenfs	off	default

zfs command

zfs(8)

zfs set/get <prop. / all> <dataset>

set properties of datasets

zfs create <dataset>

create new dataset

zfs destroy

destroy datasets/snapshots/clones..

zfs snapshot

create snapshots

zfs rollback

rollback to given snapshot

zfs promote

promote clone to the origin of the filesystem

zfs send/receive


send/receive data stream of the snapshot

A decorative graphic on the left side of the slide consists of a vertical bar with a blue-to-white gradient. A solid blue horizontal line extends from the right edge of this bar across the width of the slide.

Snapshots

Snapshot

- ❑ Read-only copy of a dataset or volume
- ❑ Useful for file recovery or full dataset rollback
- ❑ Denoted by @ symbol
- ❑ Snapshots are extremely fast (-er than deleting data!)
- ❑ Snapshots occupy (almost) no space until the original data start to diverge
- ❑ How ZFS snapshots really work (Matt Ahrens)
 - <https://www.bsdcn.org/2019/schedule/events/1073.en.html>



Snapshots

Creating and listing snapshots (1/2)

- ❑ A snapshot only needs an identifier
 - Can be anything you like!
 - A timestamp is traditional
 - But you can use more memorable identifiers too...

```
# zfs snapshot tank/users/alice@myfirstbackup
# zfs list -t snapshot
NAME                                USED  AVAIL  REFER  MOUNTPOINT
tank/users/alice@myfirstbackup      0      -    23K    -

# zfs list -rt all tank/users/alice
NAME                                USED  AVAIL  REFER  MOUNTPOINT
tank/users/alice                    23K   984G   23K    /tank/users/alice
tank/users/alice@myfirstbackup      0      -    23K    -
```


Snapshots

Creating and listing snapshots (2/2)

- ❑ Snapshots save only the changes between the time they were created and the previous (if any) snapshot
- ❑ If data doesn't change, snapshots occupy zero space

```
# echo hello world > /tank/users/alice/important_data.txt
# zfs snapshot tank/users/alice@mysecondbackup
# zfs list -rt all tank/users/alice
```

NAME	USED	AVAIL	REFER	MOUNTPOINT
tank/users/alice	36.5K	984G	23.5K	/tank/users/alice
tank/users/alice@myfirstbackup	13K	-	23K	-
tank/users/alice@mysecondbackup	0	-	23.5K	-

Snapshots

Differences between snapshots

- ❑ ZFS can display the differences between snapshots

```
# touch /tank/users/alice/empty
# rm /tank/users/alice/important_data.txt
# zfs diff tank/users/alice@mysecondbackup
M      /tank/users/alice/
-      /tank/users/alice/important_data.txt
+      /tank/users/alice/empty
```

Character	Type of change
+	File was added
-	File was deleted
M	File was modified
R	File was renamed

Snapshots

Rolling back snapshots (1/2)

- ❑ Snapshots can be rolled back to undo changes
- ❑ All files changed since the snapshot was created will be discarded

```
# echo hello_world > important_file.txt
# echo goodbye_cruel_world > also_important.txt
# zfs snapshot tank/users/alice@myfirstbackup
# rm *

# ls

# zfs rollback tank/users/alice@myfirstbackup

# ls
also_important.txt important_file.txt
```

Snapshots

Rolling back snapshots (2/2)

- ❑ By default, the latest snapshot is rolled back. To roll back an older snapshot, use `-r`
- ❑ Note that intermediate snapshots will be destroyed
- ❑ ZFS will warn about this

```
# touch not_very_important.txt
# touch also_not_important.txt
# ls
also_important.txt      important_file.txt
also_not_important.txt  not_very_important.txt

# zfs snapshot tank/users/alice@mysecondbackup
# zfs diff tank/users/alice@myfirstbackup \
> tank/users/alice@mysecondbackup
M      /tank/users/alice/
+      /tank/users/alice/not_very_important.txt
+      /tank/users/alice/also_not_important.txt

# zfs rollback tank/users/alice@myfirstbackup
# zfs rollback -r tank/users/alice@myfirstbackup
# ls
also_important.txt important_file.txt
```

Snapshots

Restoring individual files

- ❑ Sometimes, we only want to restore a single file, rather than rolling back an entire snapshot
- ❑ ZFS keeps snapshots in a very hidden `.zfs/snapshots` directory
 - It's like magic :-)
 - Set `snapdir=visible` to unhide it
- ❑ Remember: snapshots are read-only. Copying data to the magic directory won't work!

```
# ls
also_important.txt important_file.txt

# rm *
# ls

# ls .zfs/snapshot/myfirstbackup
also_important.txt important_file.txt

# cp .zfs/snapshot/myfirstbackup/* .

# ls
also_important.txt important_file.txt
```

Snapshots

Cloning snapshots

- ❑ Clones represent a *writable* copy of a read-only snapshot
- ❑ Like snapshots, they occupy no space until they start to diverge

```
# zfs list -rt all tank/users/alice
NAME                                USED  AVAIL  REFER  MOUNTPOINT
tank/users/alice                    189M  984G   105M   /tank/users/alice
tank/users/alice@mysecondbackup      0      -     105M   -

# zfs clone tank/users/alice@mysecondbackup tank/users/eve

# zfs list tank/users/eve
NAME                                USED  AVAIL  REFER  MOUNTPOINT
tank/users/eve                      0    984G   105M   /tank/users/eve
```

Snapshots

Promoting clones

- ❑ Snapshots cannot be deleted while clones exist
- ❑ To remove this dependency, clones can be *promoted* to "ordinary" datasets
- ❑ Note that by promoting the clone, it immediately starts occupying space

```
# zfs destroy tank/users/alice@mysecondbackup
cannot destroy 'tank/users/alice@mysecondbackup':
snapshot has dependent clones
use '-R' to destroy the following datasets:
tank/users/eve

# zfs list tank/users/eve
NAME                USED   AVAIL  REFER  MOUNTPOINT
tank/users/eve      0     984G   105M   /tank/users/eve

# zfs promote tank/users/eve


# zfs list tank/users/eve
NAME                USED   AVAIL  REFER  MOUNTPOINT
tank/users/eve     189M   984G   105M   /tank/users/eve
```




Self-healing data

Traditional mirroring


1. Application issues a read. Mirror reads the first disk, which has a corrupt block. It can't tell.



2. Volume manager passes bad block up to filesystem. If it's a metadata block, the filesystem panics. If not...




3. Filesystem returns bad data to the application.




Self-healing data in ZFS


1. Application issues a read. ZFS mirror tries the first disk. Checksum reveals that the block is corrupt on disk.



2. ZFS tries the second disk. Checksum indicates that the block is good.



3. ZFS returns good data to the application and repairs the damaged block on the first disk.



Self-healing data demo

Store some important data (1/2)

- ❑ We have created a redundant pool with two mirrored disks and stored some important data on it
- ❑ We will be very sad if the data gets lost! :-)

```
# zfs list tank
NAME      USED    AVAIL    REFER    MOUNTPOINT
tank      74K     984G    23K      /tank

# cp -a /some/important/data/ /tank/

# zfs list tank
NAME      USED    AVAIL    REFER    MOUNTPOINT
tank      3.23G   981G    3.23G    /tank
```

Self-healing data demo

Store some important data (2/2)

```
# zpool status tank
pool: tank
state: ONLINE
  scan: none requested
config:

    NAME            STATE             READ WRITE CKSUM
    tank            ONLINE            0    0    0
      mirror-0     ONLINE            0    0    0
        md0        ONLINE            0    0    0
        md1        ONLINE            0    0    0

errors: No known data errors

# zpool list tank
NAME    SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank   1016G  3.51G  1012G      -          -         0%    0%   1.00x  ONLINE  -
```

Self-healing data demo

Destroy one of the disks (1/2)

Caution!

This example can destroy data when used on the wrong device or a non-ZFS filesystem!

Always check your backups!

```
# zpool export tank  
  
# dd if=/dev/random of=/dev/md1 bs=1m count=200  
  
# zpool import tank
```

Self-healing data demo

Destroy one of the disks (2/2)

```
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
       attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
       using 'zpool clear' or replace the device with 'zpool replace'.
       see: http://illumos.org/msg/ZFS-8000-9P
       scan: none requested
config:

       NAME                STATE          READ  WRITE  CKSUM
       tank                 ONLINE        0     0     0
           mirror-0        ONLINE        0     0     0
               md0         ONLINE        0     0     5
               md1         ONLINE        0     0     0

errors: No known data errors
```

Self-healing data demo

Make sure everything is okay (1/3)

```
# zpool scrub tank
# zpool status tank
  pool: tank
  state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
       attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
       using 'zpool clear' or replace the device with 'zpool replace'.
       see: http://illumos.org/msg/ZFS-8000-9P
scan: scrub in progress since Fri Oct 12 22:57:36 2018
      191M scanned out of 3.51G at 23.9M/s, 0h2m to go
      186M repaired, 5.32% done
config:

      NAME          STATE          READ WRITE CKSUM
      tank           ONLINE         0     0     0
        mirror-0    ONLINE         0     0     0
          md0       ONLINE         0     0 1.49K (repairing)
          md1       ONLINE         0     0     0

errors: No known data errors
```

Self-healing data demo

Make sure everything is okay (2/3)

```
# zpool status tank
pool: tank
state: ONLINE
status: One or more devices has experienced an unrecoverable error. An
attempt was made to correct the error. Applications are unaffected.
action: Determine if the device needs to be replaced, and clear the errors
using 'zpool clear' or replace the device with 'zpool replace'.
see: http://illumos.org/msg/ZFS-8000-9P
scan: scrub repaired 196M in 0h0m with 0 errors on Fri Oct 12 22:58:14 2018
config:

    NAME                STATE          READ  WRITE CKSUM
    tank                 ONLINE         0     0     0
      mirror-0          ONLINE         0     0     0
        md0              ONLINE         0     0  1.54K
        md1              ONLINE         0     0     0

errors: No known data errors
```


Self-healing data demo

Make sure everything is okay (3/3)

```
# zpool clear tank

# zpool status tank
pool: tank
state: ONLINE
  scan: scrub repaired 196M in 0h0m with 0 errors on Fri Oct 12 22:58:14 2018
config:

    NAME          STATE          READ  WRITE CKSUM
    tank          ONLINE         0     0     0
      mirror-0    ONLINE         0     0     0
        md0       ONLINE         0     0     0
        md1       ONLINE         0     0     0

errors: No known data errors
```

Self-healing data demo

But what if it goes very wrong? (1/2)

```
# zpool status
pool: tank
state: ONLINE
status: One or more devices has experienced an error resulting in data
corruption. Applications may be affected.
action: Restore the file in question if possible. Otherwise restore the
entire pool from backup.
see: http://illumos.org/msg/ZFS-8000-8A
scan: scrub in progress since Fri Oct 12 22:46:01 2018
498M scanned out of 3.51G at 99.6M/s, 0h0m to go
19K repaired, 13.87% done
config:

NAME          STATE      READ WRITE CKSUM
tank          ONLINE    0     0 1.48K
  mirror-0    ONLINE    0     0 2.97K
    md0       ONLINE    0     0 2.97K
    md1       ONLINE    0     0 2.97K

errors: 1515 data errors, use '-v' for a list
```

Self-healing data demo

But what if it goes very wrong? (2/2)

```
# zpool status -v
pool: tank
state: ONLINE
status: One or more devices has experienced an error resulting in data
corruption. Applications may be affected.
action: Restore the file in question if possible. Otherwise restore the
entire pool from backup.
see: http://illumos.org/msg/ZFS-8000-8A
scan: scrub repaired 19K in 0h0m with 1568 errors on Fri Oct 12 22:46:25 2018
config:

NAME          STATE      READ WRITE CKSUM
tank          ONLINE    0     0 1.53K
  mirror-0    ONLINE    0     0 3.07K
    md0       ONLINE    0     0 3.07K
    md1       ONLINE    0     0 3.07K

errors: Permanent errors have been detected in the following files:

/tank/FreeBSD-11.2-RELEASE-amd64.vhd.xz
/tank/base-amd64.txz
/tank/FreeBSD-11.2-RELEASE-amd64-disc1.iso.xz
/tank/intro_slides.pdf
```



Deduplication

Duplication

A	B	C	D
D	C	A	B
A	C	B	D
A	B	C	D
D	C	A	B
A	C	B	D

Intentional duplication

- Backups, redundancy


Unintentional duplication

- Application caches
- Temporary files

- Node.js (Grrr!)

Deduplication

- ❑ Implemented at the block layer
- ❑ ZFS detects when it needs to store an exact copy of a block
- ❑ Only a reference is written rather than the entire block
- ❑ Can save a lot of disk space



Deduplication

Memory cost

- ❑ ZFS must keep a table of the checksums of every block it stores
- ❑ Depending on the blocksize, this table can grow very quickly
- ❑ Deduplication table must be fast to access or writes slow down
- ❑ Ideally, the deduplication table should fit in RAM
- ❑ Keeping a L2ARC on fast SSDs can reduce the cost somewhat

Rule of thumb:

5GB of RAM for each TB of data stored

Deduplication

Is it worth it? (1/2)

- ❑ The ZFS debugger (zdb) can be used to evaluate if turning on deduplication will save space in a pool
- ❑ In most workloads, compression will provide much more significant savings than deduplication
- ❑ Consider whether the cost of RAM is worth it
- ❑ Also keep in mind that it is a lot easier and cheaper to add disks to a system than it is to add memory

Deduplication demo

Is it worth it? (2/2)

```
# zdb -S tank
Simulated DDT histogram:
```

bucket	allocated				referenced			
	refcnt	blocks	LSIZE	PSIZE	DSIZE	blocks	LSIZE	PSIZE
1	25.1K	3.13G	3.13G	3.13G	25.1K	3.13G	3.13G	3.13G
2	1.48K	189M	189M	189M	2.96K	378M	378M	378M
Total	26.5K	3.32G	3.32G	3.32G	28.0K	3.50G	3.50G	3.50G

dedup = 1.06, compress = 1.00, copies = 1.00, dedup * compress / copies = 1.06

Deduplication demo

Control experiment (1/2)

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%   1.00x  ONLINE  -

# zfs get compression,dedup tank
NAME      PROPERTY  VALUE          SOURCE
tank     compression  off            default
tank     dedup        off            default

# for p in `seq 0 4`; do
> zfs create tank/ports/$p
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  2.14G  5.36G        -         -       3%   28%   1.00x  ONLINE  -
```

Deduplication demo

Control experiment (2/2)

```
# zdb -S tank
```

```
Simulated DDT histogram:
```

bucket	allocated				referenced				
	refcnt	blocks	LSIZE	PSIZE	DSIZE	blocks	LSIZE	PSIZE	DSIZE
4	131K	374M	374M	374M	656K	1.82G	1.82G	1.82G	
8	2.28K	4.60M	4.60M	4.60M	23.9K	48.0M	48.0M	48.0M	
16	144	526K	526K	526K	3.12K	10.5M	10.5M	10.5M	
32	22	23.5K	23.5K	23.5K	920	978K	978K	978K	
64	2	1.50K	1.50K	1.50K	135	100K	100K	100K	
256	1	512	512	512	265	132K	132K	132K	
Total	134K	379M	379M	379M	685K	1.88G	1.88G	1.88G	

```
dedup = 5.09, compress = 1.00, copies = 1.00, dedup * compress / copies = 5.09
```

Deduplication demo

Enabling deduplication

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%   1.00x  ONLINE  -

# zfs get compression,dedup tank
NAME      PROPERTY  VALUE          SOURCE
tank     compression  off            default
tank     dedup        on             default

# for p in `seq 0 4`; do
> zfs create tank/ports/$p
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  670M  6.85G        -         -       6%    8%   5.08x  ONLINE  -
```

Deduplication demo

Compare with compression

```
# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  79.5K  7.50G        -         -       0%    0%  1.00x  ONLINE  -

# zfs get compression,dedup tank
NAME      PROPERTY  VALUE          SOURCE
tank     compression  gzip-9        local
tank     dedup        off           default

# for p in `seq 0 4`; do
> zfs create tank/ports/$p
> portsnap -d /tmp/portsnap -p /tank/ports/$p extract &
> done

# zpool list tank
NAME      SIZE  ALLOC   FREE  CKPOINT  EXPANDSZ   FRAG    CAP  DEDUP  HEALTH  ALTROOT
tank     7.50G  752M  6.77G        -         -       3%    9%  1.00x  ONLINE  -
```

Deduplication

Summary

- ❑ ZFS deduplication can save a lot of space under some workloads but at the expense of a lot of memory
- ❑ Often, compression will give similar or better results
- ❑ Always check with `zdb -S` whether deduplication would be worth it

Control experiment	2.14G
Deduplication	670M
Compression	752M



Performance Tuning

General tuning tips

- System memory
- Access time
- Dataset compression
- Deduplication
- ZFS send and receive

Random Access Memory

- ❑ ZFS performance depends on the amount of system
 - recommended minimum: 1GB
 - 4GB is ok
 - 8GB and more is good

Dataset compression

- Save space
- Increase CPU usage
- Increase data throughput

Deduplication

- ❑ requires even more memory
- ❑ increases CPU usage

ZFS send/recv

- ❑ using buffer for large streams
 - misc/buffer
 - misc/mbuffer (network capable)

Database tuning

- ❑ For PostgreSQL and MySQL users recommend using a different recordsize than default 128k.
- ❑ PostgreSQL: 8k
- ❑ MySQL MyISAM storage: 8k
- ❑ MySQL InnoDB storage: 16k

File Servers

- Disable access time
- keep number of snapshots low
- dedup only if you have lots of RAM
- for heavy write workloads move ZIL to separate SSD drives
- optionally disable ZIL for datasets (beware consequences)

Webservers

❑ Disable redundant data caching

- Apache
 - EnableMMAP Off
 - EnableSendfile Off
- Nginx
 - Sendfile off
- Lighttpd
 - `server.network-backend="writev"`

A decorative graphic on the left side of the slide, consisting of several overlapping blue rectangular shapes of varying heights and widths, creating a stepped effect.

Cache and Prefetch

ARC

Adaptive Replacement Cache

Resides in system RAM

major speedup to ZFS

the size is auto-tuned

Default:

arc max: memory size - 1GB

metadata limit: $\frac{1}{4}$ of arc_max

arc min: $\frac{1}{2}$ of arc_meta_limit (but at least 16MB)

Tuning ARC

- Disable ARC on per-dataset level
- maximum can be limited
- increasing `arc_meta_limit` may help if working with many files

- `# sysctl kstat.zfs.misc.arcstats.size`
- `# sysctl vfs.zfs.arc_meta_used`
- `# sysctl vfs.zfs.arc_meta_limit`

- <http://www.krausam.de/?p=70>

L2ARC

❑ L2 Adaptive Replacement Cache

- is designed to run on fast block devices (SSD)
- helps primarily read-intensive workloads
- each device can be attached to only one ZFS pool

❑ # zpool add <pool name> cache <vdevs>

❑ # zpool add remove <pool name> <vdevs>

Tuning L2ARC

enable prefetch for streaming or serving of large files

configurable on per-dataset basis

turbo warmup phase may require tuning (e.g. set to 16MB)

`vfs.zfs.l2arc_noprefetch`

`vfs.zfs.l2arc_write_max`

`vfs.zfs.l2arc_write_boost`

ZIL

❑ ZFS Intent Log

- guarantees data consistency on fsync() calls
- replays transaction in case of a panic or power failure
- use small storage space on each pool by default

❑ To speed up writes, deploy zil on a separate log device(SSD)

❑ Per-dataset synchronicity behavior can be configured

- # zfs set sync=[standard|always|disabled] dataset

File-level Prefetch (zfetch)

- ❑ Analyses read patterns of files
- ❑ Tries to predict next reads

- ❑ Loader tunable to enable/disable zfetch:
 `vfs.zfs.prefetch_disable`

Device-level Prefetch (vdev prefetch)

- ❑ reads data after small reads from pool devices
- ❑ useful for drives with higher latency
- ❑ consumes constant RAM per vdev
- ❑ is disabled by default

- ❑ Loader tunable to enable/disable vdev prefetch:
`vfs.zfs.vdev.cache.size=[bytes]`

ZFS Statistics Tools

```
# sysctl vfs.zfs
```

```
# sysctl kstat.zfs
```

using tools:

zfs-stats: analyzes settings and counters since boot

zfsf-mon: real-time statistics with averages

Both tools are available in ports under sysutils/zfs-stats

References

- ❑ ZFS: The last word in filesystems (Jeff Bonwick & Bill Moore)
- ❑ ZFS tuning in FreeBSD (Martin Matuška):
 - Slide
 - <http://blog.vx.sk/uploads/conferences/EuroBSDcon2012/zfs-tuning-handout.pdf>
 - Video
 - <https://www.youtube.com/watch?v=PIpI7Ub6yjo>
- ❑ Becoming a ZFS Ninja (Ben Rockwood):
 - <http://www.cuddletech.com/blog/pivot/entry.php?id=1075>
- ❑ ZFS Administration:
 - <https://pthree.org/2012/12/14/zfs-administration-part-ix-copy-on-write>

References (c.)

- ❑ https://www.freebsd.org/doc/zh_TW/books/handbook/zfs-zfs.html
- ❑ “ZFS Mastery” books (Michael W. Lucas & Allan Jude)
 - FreeBSD Mastery: ZFS
 - FreeBSD Mastery: Advanced ZFS
- ❑ ZFS for Newbies (Dan Langille)
 - <https://www.youtube.com/watch?v=3oG-1U5AI9A&list=PLskKNopggjc6NssLc8GEGSiFYJLYdlTQx&index=20>
- ❑ The future of OpenZFS and FreeBSD (Allan Jude)
 - <https://www.youtube.com/watch?v=gmaHZBwDKho&list=PLskKNopggjc6NssLc8GEGSiFYJLYdlTQx&index=23>
- ❑ How ZFS snapshots really work (Matt Ahrens)
 - <https://www.bsdcn.org/2019/schedule/events/1073.en.html>