

Shells

tsaimh (2022-2024, CC BY-SA)

lctseng (2019-2021, CC BY-SA)

? (1996-2018)


國立陽明交通大學資工系資訊中心

Information Technology Center, Department of Computer Science, NYCU


UNIX Kernel and Shell

- Interface to communicate with kernel
- Where you type commands

```
[Meng-Hsun Tsai@pts/37(alumni)][~] > date
Tue Aug 16 08:55:19 CST 2022
[Meng-Hsun Tsai@pts/37(alumni)][~] > pwd
/net/dcs/93/9317807
[Meng-Hsun Tsai@pts/37(alumni)][~] > whoami
tsaimh
[Meng-Hsun Tsai@pts/37(alumni)][~] > |
```



UNIX Kernel and Shell (2)



The UNIX Shells

Shell	Originator	System Name	Prompt
Bourne Shell (In FreeBSD base)	S. R. Bourne	/bin/sh	\$
C Shell (In FreeBSD base, Default for root)	Bill Joy	/bin/csh	%
TENEX C Shell (In FreeBSD base)	Ken Greer	/bin/tcsh	>
Korn Shell	David Korn	(shells/ksh93)	\$
Bourne-Again Shell (Widely used)	Brian J. Fox	(shells/bash)	\$
Z Shell (macOS default)	Paul Falstad	(shells/zsh)	%

Windows Shell

- cmd.exe
 - First released in 1987
 - For Windows NT/Windows CE
 - Still used in modern Windows
- PowerShell
 - First released in 2006
 - To provide the same functionality as UNIX shells
 - Also has [Linux](#)/[MacOS](#) releases

Shell Startup Files

sh	/etc/profile	login shell, system wide
	~/.profile	login shell
	ENV	
csh	/etc/csh.cshrc	always, system wide
	/etc/csh.login	login shell, system wide
	~/.cshrc	always
	~/.login	login shell
	~/.logout	logout shell
	/etc/csh.logout	logout shell, system wide

Shell Startup Files (2)

tcsh	~/.tcshrc	login shell
	(csh startup files)	backward compatibility for csh
bash	/etc/profile → ~/.bash_profile → ~/.bash_login → ~/.profile	login shell
	~/.bashrc	login shell
	BASH_ENV	

Bash Startup Files : https://www.gnu.org/software/bash/manual/html_node/Bash-Startup-Files.html

Shell Startup Files (3)

- A sample tcshrc for you to change your prompt
- Simplest install steps
 - Take a look at the content before running it

```
$ fetch https://nasa.cs.nycu.edu.tw/sa/sample/.tcshrc.color -o  
~/.tcshrc  
$ source ~/.tcshrc
```

```
tsaimh@bsd4:~ % fetch https://nasa.cs.nycu.edu.tw/sa/sample/.tcshrc.color -o ~/.tcshrc  
/home/tsaimh/.tcshrc 861 B 7584 kBps 00s  
tsaimh@bsd4:~ % source .tcshrc  
[tsaimh@bsd4 ~ ] |
```


Shell Environment Variables (1)

- Controlling shell behaviors
 - There are many environment variables that control the shell behavior
- To dump them:

```
$ env
```

- To get value:

```
$ echo $VARIABLE_NAME  
$ echo ${VARIABLE_NAME}  
$ echo "$PATH"
```

Shell Environment Variables (2)

- Useful Environment Variables

Variables	Description
HOME	User's home directory
MAIL	User's mailbox
PATH	Command search path

Variables and Strings Quotes

Char.		Purpose
sh	var=value	Assign value to variable
csh	set var=value	
\$var, \${var}		Get shell variable
`cmd`		Substitution stdout
'string'		Quote character without substitution
"string"		Quote character with substitution

Variables and Strings Quotes (2)

Shell	sh	Csh
Commands	<pre>\$ varname=`/bin/date` \$ echo \$varname \$ echo 'Now is \$varname' \$ echo "Now is \$varname"</pre>	<pre>\$ set varname=`/bin/date` \$ echo \$varname \$ echo 'Now is \$varname' \$ echo "Now is \$varname"</pre>
Result	<pre>Mon Aug 15 14:22:19 CST 2024 Now is \$varname Now is Mon Aug 15 14:22:19 CST 2024</pre>	

Global Variables

- Use "env" command to display global variables
- Assignment

	Bourne Shell	C Shell
Local variable	<pre>my=test current_month=`date +%m`</pre>	<pre>set my=test set current_month=`date +%m`</pre>
Global variable	<pre>export my=test export EDITOR=/usr/bin/ee</pre>	<pre>setenv my test setenv EDITOR /usr/bin/ee</pre>

Shell Special Characters

- Reduce typing as much as possible

	Characters	Description
sh	*	Match any string of characters
	?	Match any single alphanumeric character
	[...]	Match any single character within []
	[!...]	Match any single character not in []
	~	Home directory

Shell Special Characters (2)

- Example: There are some files in current directory
 - test1, test2, test3, test4, test-5, testmess

	Command	Result
sh	\$ ls test*	test1 test2 test3 test4 test-5 testmess
	\$ ls test?	test1 test2 test3 test4
	\$ ls test[123]	test1 test2 test3
	\$ ls test[!345]*	test1 test2 test-5 testmess
	\$ ls ~	List files under your home

Shell Special Characters (3)

Char.	Purpose	Example
#	Start a shell comment	# this is a comment
;	Command separator	\$ ls test*; ls test?
&&	Executes the first command, and then executes the second if first command success (exit code=0)	\$ cd foo/bar && make install
	Executes the first command, and then executes the second if first command fail (exit code≠0)	\$ cp x y touch y

Shell Special Characters (4)

Char.	Purpose	Example
\	(1)Escape character (2)Command continuation indicator	<pre>\$ touch test*; ls test\ test* \$ ls \ > test*</pre>
&	Background execution	<pre>\$ make buildworld & \$ sleep 5 &</pre>

Common Built-in Commands

SH	CSH	Description
	set/unset	Set/Unset shell options and positional parameters
<i>(empty)</i> /unset	set/unset	Set/Unset a local variable
export	setenv/unsetenv	Set/Unset a global variable
	set	Display shell variables (sh: local + global, csh: local)
	env	Display global (environment) variables
<i>(N/A)</i>	login, logout	Login / Logout
	exit	exit shell


Common Built-in Commands (2)

SH	CSH	Description
(N/A)	dirs	print directory stack
(N/A)	popd, pushd	Pop/push directory stack
echo		write arguments on stdout
alias/unalias		command aliases
fg, bg		Bring a process to foreground/background (e.g. sleep 5 &)
jobs		List active jobs (with job numbers)
%[job no.]		Bring a process to foreground (e.g. %1)

```
tsaimh@linux1:~$ pushd /home
/home ~
tsaimh@linux1:/home$ cd /var
tsaimh@linux1:/var$ pushd /dev
/dev /var ~
tsaimh@linux1:/dev$ cd /
tsaimh@linux1:/$ dirs
/ /var ~
tsaimh@linux1:/$ popd
/var ~
tsaimh@linux1:/var$ cd /home
tsaimh@linux1:/home$ popd
~
tsaimh@linux1:~$
```

Built-in Shell Commands (3)

SH	CSH	Description
	kill	Send a signal to a job (kill %job or kill pid)
(N/A)	stop	Suspend a background process (%job pid)
	exec	execute arguments
	nice	Change nice value



Built-in Shell Commands (4)

SH	CSH	Description
(N/A)	history	Display history list
(N/A)	rehash	Evaluate the internal hash table of the contents of directories
(N/A)	source	Read and execute a file

References:

- <https://it.cs.nycu.edu.tw/unix-basic-commands>
- http://www.unix.org.ua/oreilly/unix/unixnut/ch04_06.htm
- http://publib.boulder.ibm.com/infocenter/pseries/index.jsp?topic=/com.ibm.aix.doc/aixuser/usrosdev/list_c_builtin_cmds.htm
- <https://www.freebsd.org/cgi/man.cgi?query=tcsh>
- <https://www.freebsd.org/cgi/man.cgi?query=sh>

Input/Output Redirection

- There are 3 default file descriptors

Integer value	Name
0	stdin (Standard Input)
1	stdout (Standard Output)
2	stderr (Standard Error)

- Using man command to read more information
 - [sh\(1\)](#): Redirection
 - [tcsch\(1\)](#): Input/Output

Input/Output Redirection (2)

Method	Name
<code>cmd < file</code>	Open the file as stdin of cmd
<code>cmd > file</code>	Write stdout of cmd in the following file. Truncates existing files. (tcsh: use "set noclobber" to avoid overwriting)
<code>cmd >> file</code>	Append stdout of cmd to the following file
<code>2>&1</code>	Merge stdout with stderr
<code>cmd1 cmd2</code>	Pipe stdout of cmd1 into stdin of cmd2

File and Directory Related Commands

Command	Purpose
<code>ls</code>	List a directory's content
<code>pwd</code>	Print working directory
<code>cd</code>	Change to other directory
<code>mkdir</code>	Make(create) a new directory
<code>rmdir</code>	Remove existing empty directory
<code>cat</code>	Concatenate file
<code>cp</code>	Copy file

File and Directory Related Commands (2)

Command	Purpose
<code>ln</code>	Link files
<code>mv</code>	Move file
<code>rm</code>	Remove file
<code>stat</code>	Display file status

Select and File Processing Related Commands

Command	Purpose
head	Display first lines of a file
tail	Select trailing lines
grep	Select lines
diff	Compare and select difference in two files
wc	Count characters, words or lines of a file
uniq	Select uniq lines
cut	Select columns

Select and File Processing Related Commands (2)

Command	Purpose
sort	Sort and merge multiple files together
sed	Edit streams of data
awk	Pattern scanning and processing language

Select and File Processing Related Commands (3) - Example Usage

- Look first few lines or last few lines
 - `$ head /var/log/message`
 - `$ tail /var/log/message`
 - `-n` : specific how many lines
- Find the occurrence of certain pattern in file
 - `$ grep -l tsaimh *`
 - Print the **filename** that has “tsaimh” as content
 - `$ grep -n tsaimh /etc/passwd`
 - Print the **line number** when using grep

Select and File Processing Related Commands (4) - Example Usage

- List tsaimh's id, uid, home, shell in /etc/passwd
 - `$ grep tsaimh /etc/passwd | cut -f1,3,6,7 -d:`
 - `-f1,3,6,7` : fetch 1st ,3rd ,6th ,7th column
 - `-d` : separation symbol

```
tsaimh:*:1001:20:Meng-Hsun Tsai:/home/tsaimh:/bin/tcsh
```

```
$ grep tsaimh /etc/passwd | cut -f1,3,6,7 -d:  
tsaimh:1001:/home/tsaimh:/bin/tcsh
```

Select and File Processing Related Commands (5) - Example Usage

- Cut out file permission and file name from ls output
 - `$ ls -l | grep -v ^total | cut -c 1-11,47-`
 - `-c1-11` : 1st~11th characters (start from 1, instead of 0)
 - `-c47-` : characters after 47th character (include 47th)

```
$ ls -l
total 2312
-rw-r--r--  1 tsaimh  ta  875394 Aug 14 13:37 00_Syllabus.pdf
-rw-r--r--  1 tsaimh  ta  841270 Aug 12 15:59 01_Install_FreeBSD.pdf
-rw-r--r--  1 tsaimh  ta  457582 Aug 12 15:59 02_Installing_Applications.pdf
$ ls -l | grep -v ^total | cut -c 1-11,47-
-rw-r--r--  00_Syllabus.pdf
-rw-r--r--  01_Install_FreeBSD.pdf
-rw-r--r--  02_Installing_Applications.pdf
```

Select and File Processing Related Commands (6) - Example Usage

- Use awk to generate the same behavior of cut
 - `$ ls -l | grep -v ^total | awk '{print $1 " " $9}'`
 - Result is same as [P.30](#)

```
$ ls -l
total 2312
-rw-r--r--  1 tsaimh  ta  875394 Aug 14 13:37 00_Syllabus.pdf
-rw-r--r--  1 tsaimh  ta  841270 Aug 12 15:59 01_Install_FreeBSD.pdf
-rw-r--r--  1 tsaimh  ta  457582 Aug 12 15:59 02_Installing_Applications.pdf
$ ls -l | grep -v ^total | awk '{print $1 " " $9}'
-rw-r--r--  00_Syllabus.pdf
-rw-r--r--  01_Install_FreeBSD.pdf
-rw-r--r--  02_Installing_Applications.pdf
```

Select and File Processing Related Commands (7) - Example Usage

- Use awk to generate the same behavior of cut
 - \$ awk -F: '{print \$1 " " \$6}' /etc/passwd
 - -F : separation symbol

```
tsaimh:*:1001:20:Meng-Hsun Tsai:/home/tsaimh:/bin/tcsh
```

```
$ awk -F: '{print $1 " " $6}' /etc/passwd  
tsaimh /home/tsaimh
```


Select and File Processing Related Commands (8) - Example Usage

- Options of "sort" command
 - -r : reverse
 - -u : unique keys
 - -n : numeric keys sorting
 - Default: string sorting, 14 > 123
 - -k : specific columns to sort with
 - -t : field separator

Select and File Processing Related Commands (9) - Example Usage

- List directory contents and sort by file size decreasingly
 - `$ ls -al | sort -n -k 5,5 -r`
 - `-k` : specific columns to sort with
 - `-r` : reverse

```
% ls -l | sort -n -k 5,5 -r
-rw-r--r--  1 tsaimh  ta  875394 Aug 14 13:37 00_Syllabus.pdf
-rw-r--r--  1 tsaimh  ta  841270 Aug 12 15:59 01_Install_FreeBSD.pdf
-rw-r--r--  1 tsaimh  ta  457582 Aug 12 15:59 02_Installing_Applications.pdf
```

Select and File Processing Related Commands (10) - Example Usage

- Sort contents of /etc/passwd by username and remove annotations
 - `$ sort -t: -k 1,1 /etc/passwd | grep -v ^#`
 - `-t` : field separator
 - `-k` : specific columns to sort with

```
games:*:7:13:Games pseudo-user:/usr/games:/usr/sbin/nologin
git_daemon:*:964:964:git daemon:/nonexistent:/usr/sbin/nologin
hast:*:845:845:HAST unprivileged user:/var/empty:/usr/sbin/nologin
kmem:*:5:65533:KMem Sandbox:/:/usr/sbin/nologin
tsaimh:*:1001:20:Meng-Hsun Tsai:/home/tsaimh:/bin/tcsh
```

Select and File Processing Related Commands (11) - Example Usage

- List records in /etc/hosts sorted by IPv4 address

```
$ sort -t. -n -k 1,1 -k 2,2 -k 3,3 -k 4,4 '/etc/hosts' | grep -v ^#
```

- -n : numeric keys sorting

- Before sorting

```
# In the presence of the domain name service or NIS, this file may
# not be consulted at all; see /etc/nsswitch.conf for the
# resolution order.
#
::1          localhost localhost.my.domain
127.0.0.1    localhost localhost.my.domain
140.113.17.26 nctucs.tw
64.233.187.95 www.googleapis.com googleapis.l.google.com
```

Select and File Processing Related Commands (12) - Example Usage

- List records in /etc/hosts sorted by IPv4 address

```
$ sort -t. -n -k 1,1 -k 2,2 -k 3,3 -k 4,4 '/etc/hosts' | grep -v ^#
```

- -n : numeric keys sorting

- After sorting

```
:::1 localhost localhost.my.domain
64.233.187.95 www.googleapis.com googleapis.l.google.com
127.0.0.1 localhost localhost.my.domain
140.113.17.26 nycucs.tw
```

Select and File Processing Related Commands (13) - Example Usage

- Translate characters
 - `$ echo "Hello World" | tr "a-z" "A-Z"`
 - Change all alphabet to uppercase

```
$ echo "Hello World" | tr "a-z" "A-Z"  
HELLO WORLD
```

- `$ tr -d "\t" < file1`
 - Delete TAB in file1
- `$ tr -s " " < file1`
 - Delete multiple space in file1

Select and File Processing Related Commands (14) - Example Usage

- Translate characters
 - `$ grep tsaimh /etc/passwd | tr ":" "\n"`
 - Change all ":" to "\n"

```
$ grep tsaimh /etc/passwd | tr ":" "\n"
tsaimh
*
1001
20
Meng-Hsun Tsai
/home/tsaimh
/bin/tcsh
```

xargs Command

- xargs – construct argument list(s) and execute utility
 - -n number
 - -I replstr (every)
 - -J replstr (first only)
 - -s size
 - ...

xargs Command (2)

```
% ls
2.sh      3.csh      4.csh      4.sh      bsd1.ping
testin
% ls | xargs echo
2.sh 3.csh 4.csh 4.sh bsd1.ping testin
% ls | xargs -n1 echo
2.sh
3.csh
4.csh
4.sh
bsd1.ping
testin
```

xargs Command (3)

```
% ls | xargs -I % -n1 echo % here %  
2.sh here 2.sh  
3.csh here 3.csh  
4.csh here 4.csh  
4.sh here 4.sh  
bsd1.ping here bsd1.ping  
testin here testin
```

xargs Command (4)

```
% ls | xargs -J % -n1 echo % here %  
2.sh here %  
3.csh here %  
4.csh here %  
4.sh here %  
bsd1.ping here %  
testin here %
```

xargs Command (5)

- Example : ping all hosts in file

```
$ cat host
www.google.com
bsd1.cs.nycu.edu.tw
linux3.cs.nycu.edu.tw
cs.nycu.edu.tw

$ cat host | xargs -n1 ping -c 1 | grep "bytes from"
64 bytes from 64.233.188.103: icmp_seq=0 ttl=47 time=6.944 ms
64 bytes from 140.113.235.135: icmp_seq=0 ttl=57 time=1.451 ms
64 bytes from 140.113.235.153: icmp_seq=0 ttl=57 time=1.612 ms
64 bytes from 140.113.235.47: icmp_seq=0 ttl=57 time=1.856 ms
```

The Unix Philosophy

- https://en.wikipedia.org/wiki/Unix_philosophy
- Lots of little tools, each good at one thing
 - Use them together to achieve your goal
- Try other shells (install from package/ports)
 - zsh
 - Oh-my-zsh: <https://github.com/robbyrussell/oh-my-zsh>
 - fish

ShellCheck

- Finds bugs in your shell scripts
- <https://www.shellcheck.net/>
- devel/hs-ShellCheck
- `pkg install hs-ShellCheck`

Appendix

Command History in (t)csh

國立陽明交通大學資工系資訊中心

Information Technology Center, Department of Computer Science, NYCU

Command History in (t)csh

Commands	Description
!n	exec previous command line n (see history)
!-n	exec current command line minus n
!!	exec last command (the same as !-1)
!str	exec previous command line beginning with str
!?str	exec previous command line containing str

```
% history
10  8:31  cp ypwhich.1 ypwhich.1.old
11  8:31  vi ypwhich.1
12  8:32  diff ypwhich.1.old ypwhich.1
13  8:32  history
% !?old
```


Command History in (t)csh (2)

Commands	Description
!!:n	use the nth word of previous comm
!!:m-n	select words m ~ n of previous command
!!:*	use all arguments of previous command
!!:s/str1/str2/	substitute str1 with str2 in previous command

```
% history
15  8:35    cd /etc
16  8:35    ls HOSTS FSTAB
17  8:35    history
% cat !-2:*:s/HOSTS/hosts/:s/FSTAB/fstab → cat hosts fstab
```

- [tosh\(1\)](#): History Substitution